

Supplementary Table 2. Number of tests performed according to the classification of days after the onset of symptoms

Patient no.	Chest CT, day			PFT, day			Serum sample collection, day						
	1-14	15-60	61-365	1-14	15-60	61-365	1-7	8-14	15-21	22-60	61-120	121-180	181-365
1	0	0	0	0	0	0	0	0	00			0	
2	0	0	0	0	0	0	0	0					0
3		0	0	0	0	0	0	0			0		
4	0	0	0	0	0	0	0	0					0
5	0	0	0	0	0	0	0	0			0		
6			0	0	0	0	0	0			0		
7	0		0	0	0	0	0	0	0	0			
8	0	00	0	0	0	0	0	00	0	0			0
9	0	00	000	0	0	0	0	00					0
10	0	0	0	0	0	0	0	00	0	0	0		
11	00		0	0	0	0	0	00			0		
12		0	0	0	0	0	0	0000					
13	0	0	0	0	0	0	0	00	0	0			
14	0		0	0	0	0	0	0			0		
15	0	00	0	0	0	0	0	00	00				
16	0	0	0	0	0	0	0	0	0	0		0	
17	0	0			0		0	0	00	0			
18	0	0	00	0	0	0	0						0
19	0	0	0	0	0	0	0	0	00	0			
20		0			0				0				
21			0			0					0		
22		00			0			0	0	0	0		
23	0	00			0			0	00	00			
24	0	0	0	0	0	0	0	0	0	0	0		
25	0	0	0	0	0	0	0	0	0	0	0		
26			0			0					0		
27		0			0				0				
28			0			0						0	
29			0			0					0		
30	0		0			0					0		

Supplementary Table 2. continued.

Patient no.	Chest CT, day			PFT, day			Serum sample collection, day						
	1-14	15-60	61-365	1-14	15-60	61-365	1-7	8-14	15-21	22-60	61-120	121-180	181-365
31	0		0								0		
32			0								0		
33			0									0	
34			0									0	
35			0									0	

When the same test was performed multiple times for each patient, the last test was performed during the study period.
 CT, computed tomography; PFT, pulmonary function test.