

Supplementary Table 5. Multivariable analysis for event-free survival

Covariates	HR (95% CI)	<i>p</i> value
Age, yr		
≤ 70	1	
70–80	1.51 (0.94–2.43)	0.089
> 80	2.21 (1.20–4.07)	0.010
ADL		
≥ 5	1	
< 5	1.82 (1.02–3.28)	0.044
IADL		
≥ 7	1	
< 7	1.79 (0.99–3.27)	0.055
CCI		
< 2	1	
≥ 2	1.47 (0.97–2.23)	0.069
Age-adjusted IPI		
Low	1	
Low-intermediate	1.31 (0.64–2.67)	0.457
High-intermediate	2.97 (1.55–5.71)	0.001
High	3.29 (1.58–6.83)	0.001
Hemoglobin level, g/dL		
≥ 12.0	1	
< 12.0	1.04 (0.68–1.61)	0.830
Albumin level, g/dL		
≥ 3.5	1	
< 3.5	1.42 (0.92–2.19)	0.108
B symptoms		
Absent	1	
Present	0.97 (0.61–1.55)	0.904

HR, hazard ratio; CI, confidence interval; ADL, Activities of Daily Living; IADL, Instrumental Activities of Daily Living; CCI, Charlson's Comorbidity Index; IPI, International Prognostic Index.