

Supplementary Table 3. Sensitivity analysis according to different set points of the FACTI-Fatigue scale or Fatigue VAS

Improvement	Total (n = 120)	Continuous-KRG (n = 60)	Placebo-KRG (n = 60)	p value
Change in FACIT-Fatigue scale ≥ 3				
0–12 weeks				0.465
Response	63 (52.5)	29 (48.3)	34 (56.7)	
None	57 (47.5)	31 (51.7)	26 (43.3)	
0–24 weeks				> 0.999
Response	72 (60.0)	36 (60.0)	36 (60.0)	
None	48 (40.0)	24 (40.0)	24 (40.0)	
Change in FACIT-Fatigue scale ≥ 4				
0–12 weeks				0.465
Response	57 (47.5)	26 (43.3)	31 (51.7)	
None	63 (52.5)	34 (56.7)	29 (48.3)	
0–24 weeks				0.853
Response	68 (56.6)	33 (55.0)	35 (58.3)	
None	52 (43.3)	27 (45.0)	25 (41.7)	
Change in Fatigue VAS ≤ -7 (or -6.2)				
0–12 weeks				> 0.999
Response	68 (56.7)	34 (56.7)	34 (56.7)	
None	52 (43.3)	26 (43.3)	26 (43.3)	
0–24 weeks				0.573
Response	74 (61.6)	39 (65.0)	35 (58.3)	
None	46 (38.3)	21 (35.0)	25 (41.7)	

Values are presented as number (%).

FACIT-Fatigue, The Functional Assessment of Chronic Illness Therapy-Fatigue; VAS, visual analog scale; KRG, Korean Red Ginseng.