

Supplementary Table 2. Change in BSS from baseline by symptom

Symptoms	HL-301 (n = 54)			Erdosteine (n = 55)			<i>p</i> value ^{a)}
	Baseline	Day 7	Change	Baseline	Day 7	Change	
Full analysis set							
Cough	3.69 ± 0.64	1.69 ± 0.80	-2.00 ± 0.95*	3.56 ± 0.74	1.73 ± 0.73	-1.84 ± 0.92*	0.349
Sputum	3.09 ± 0.62	1.54 ± 0.72	-1.56 ± 0.90*	3.33 ± 0.61	1.64 ± 0.70	-1.69 ± 0.84*	0.512
Dyspnea	1.43 ± 0.60	1.04 ± 0.19	-0.39 ± 0.56*	1.42 ± 0.53	1.09 ± 0.29	-0.33 ± 0.47*	0.691
Chest pain on coughing	1.46 ± 0.61	1.02 ± 0.14	-0.44 ± 0.57*	1.53 ± 0.63	1.09 ± 0.29	-0.44 ± 0.57*	0.941
Rales an auscultation	1.06 ± 0.23	1.00 ± 0.00	-0.06 ± 0.23	1.04 ± 0.19	1.00 ± 0.00	-0.04 ± 0.19	0.640

Data are expressed as mean ± standard deviation.

BSS, Bronchitis Severity Score.

^{a)}Wilcoxon rank sum test.

**p* < 0.05; Change from baseline in group.